

Compact Multi-Phase Burnout Furnace For Excellent Workmanship

Manufactured by Electrotherm's ShenPaz technologies division, the BIFA brand of burnout furnaces are available in two muffle sizes.



BIFA-36, bench top furnace with a 3.6 liter work zone with heating on two sides.

BIFA-62, bench top furnace with a 6.2 liter work zone with heating on three sides. The ShenPaz **BIFA** brands of multipurpose furnaces constructed with a stainless steel cabinet are ideal for a variety of laboratory application: burnout preheating, tempering, casting and other metallurgical processes.

BIFA furnaces are manufactured, calibrated, and tested under the strictest quality control procedures to guarantee the highest level of safety and reliability.

Additional BIFA Features

- Housing made of textured stainless steel sheets
- Flap door which can be used as a working platform
- Double jacket housing for low external temperatures and insulation
- Exhaust air outlet in furnace back panel
- Multi-lingual interface selection (4 languages)
- Choice of temp. display in C° or F°
- RS232 communication capability
- Calendar end process timing programming



Multistage

15 programs up to 8 stages.

Temperature rate adjustment

up to 15° C (59°F)/min. to match different investments.

Smart "end cycle date"

start time can be delayed by calendar setting of date.

Recoverable operation after power break

Your Perfection,
Our Performance.









Full control

Calendar

Multi Stage

MODEL: BIFA-36

Internal muffle dim.

WxDxH (cm) $18 \times 20 \times 9.5$ WxDxH (in) $7 \times 8 \times 3.7$

Ring capacity

4 rings x9 + 4 rings x2

Exterior dimensions

WxDxH (in) $14 \times 15 \times 17$ WxDxH (cm) $35.5 \times 38 \times 43$

Weight

Lbs 51, Kg 23

Voltage

115V - 50/60 Hz 230V - 50/60 Hz

Watts

1500

MODEL: BIFA-62

Internal muffle dim.

WxDxH (cm) $18 \times 23 \times 13.5$ WxDxH (in) $7 \times 9 \times 5.3$

Ring capacity

12 rings x9 double layer

Exterior dimensions

WxDxH (in) $15.7 \times 19 \times 21$ WxDxH (cm) $40 \times 48 \times 53$

Weight

Lbs 90.4, Kg 41

Voltage

230V - 50/60 Hz


Watts

2700



Compact Multi-Phase Burnout Furnace For Excellent Workmanship The ShenPaz **BIFA** brands of multipurpose furnaces constructed with a stainless steel cabinet are ideal for a variety of laboratory application: burnout preheating, tempering, casting and other metallurgical processes.

BIFA furnaces are manufactured, calibrated, and tested under the strictest quality control procedures to guarantee the highest level of safety and reliability.



Additional BIFA Features

- Housing made of textured stainless steel sheets
- Flap door which can be used as a working platform
- Double jacket housing for low external temperatures and insulation
- Exhaust air outlet in furnace back panel
- Multi-lingual interface selection (4 languages)
- Choice of temp. display in C° or F°
- RS232 communication capability
- Calendar end process timing programming



Scope of delivery:

- 1 furnace unit
- 1 handle
- 1 exhaust pipe
- 1 operating manual

Your Perfection,
Our Performance.









Full control

Calendar

Multi Stage



Ask your dealer about our other dental laboratory furnaces.

To contact a dealer in your area, e-mail us at: shenpaz@shenpaz.com or send a fax to +972 4 6042040



Electrotherm Marketing (1978) Ltd. ShenPaz Technologies Division

5 HaTasia Street

Ramat Gabriel Ind. Park, Migdal HaEmek 23101, Israel Tel: +972 (0)3 562 0428 Fax: +972 (0)4 6042040

Shenpaz@shenpaz.com